
Inventor(s): B. Phansalkar et al.

Docket No.: 133482 Attorney: J. Testa

Telephone: (518) 387-5115




Ser.No.: Inventor(s): B. Phansalkar et al. Docket No.: 133482 Attorney: J. Testa Telephone: (518) 387-5115 2/8 30 Start Fig. 2 ⟨32 Induce a step increase in battery bus voltage - 34 Monitor/measure a magnitude of a corresponding current pulse - 36 Issue an indicator when the magnitude of the current drops below a predetermined value - 39 End Fig. 3 Start 42 Periodically conduct a connectivity test Observe a change in magnitude of the current pulse over a period of time - 46 Issue an indicator when a decline in the trend of the change in magnitude reaches a predetermined level

48

End

Inventor(s): B. Phansalkar et al. Docket No.: 133482 Attorney: J. Testa


Telephone: (518) 387-5115



Inventor(s): B. Phansalkar et al.

Docket No.: 133482 Attorney: J. Testa


Telephone: (518) 387-5115



Inventor(s): B. Phansalkar et al.

Docket No.: 133482 Attorney: J. Testa


Telephone: (518) 387-5115



Inventor(s): B. Phansalkar et al.

Docket No.: 133482 Attorney: J. Testa


Telephone: (518) 387-5115



Inventor(s): B. Phansalkar et al.

Docket No.: 133482 Attorney: J. Testa

Telephone: (518) 387-5115



Inventor(s): B. Phansalkar et al.

Docket No.: 133482 Attorney: J. Testa

Telephone: (518) 387-5115

